## *Read Before Installing or Using ALL-IN-1 MAIL for VMS* Version 1.0

## AV-PCX9A-TE

ALL-IN-1 MAIL for VMS is an electronic messaging application that conforms to the international messaging standards set by the CCITT X.400 recommendations. This means ALL-IN-1 MAIL allows you to communicate with other computer users, even when your computer systems are made by different manufacturers or are otherwise incompatible, and even when your computer systems are installed in different countries.

Please take time to read the following information about ALL-IN-1 MAIL for VMS.

## Installation Information

ALL-IN-1 MAIL Version 1.0 requires VMS Version 5.2.

**Installing the ALL-IN-1 MAIL for VMS Wide Area Network Kit** The following information is important if you are installing the ALL-IN-1 MAIL for VMS Wide Area Network kit:

The ALLIN1-MAIL-WAN-SERVER license provides you with the licenses for VMS Message Router, the VMS Message Router VMSmail Gateway, and the VMS Message Router X.400 Gateway. If you have registered the ALLIN1-MAIL-WAN-SERVER license, the ALL-IN-1 MAIL for VMS installation will register these other three licenses automatically. These licenses must be loaded before the MAILbus products can be installed and configured. In addition, Message Router must be installed and configured before you can install ALL-IN-1 MAIL for VMS. Installing the ALL-IN-1 MAIL for VMS Wide Area Network kit is, therefore, a multi-step process that involves two passes through the ALL-IN-1 MAIL for VMS installation process:

- Register the ALLIN1-MAIL-WAN-SERVER license included in your kit.
- Use VMSINSTAL to install ALL-IN-1 MAIL for VMS the first time, loading the other licenses automatically. This installation is much simpler than the installation described in the *ALL-IN-1 MAIL for VMS Installation Guide*. It does not require you to answer any questions; it simply loads the licenses and exits. The following sample ALLIN1-MAIL-WAN-SERVER Installation illustrates what you will see during this preliminary installation:

©Digital Equipment Corporation. 1990. All rights reserved.

## Example 1: A Sample ALLIN1-MAIL-WAN-SERVER Installation

```
The following products will be processed:

  A1MAIL V1.0

 Beginning installation of A1MAIL V1.0 at 17:54

%VMSINSTAL-I-RESTORE, Restoring product save set A ...
%VMSINSTAL-I-RELMOVED, The product's release notes have been
                successfully moved to SYS$HELP.

    +-------------------------------------------+
    |  Installing ALL-IN-1 MAIL for VMS V1.0    |
    |           X.400 MAIL product              |
    +-------------------------------------------+

%LICENSE-I-LOADED, DEC MESSAGE-ROUTER was successfully
       loaded with 0 units
%LICENSE-I-LOADED, DEC MR-VMSMAIL-GATEWAY was successfully
       loaded with 0 units
%LICENSE-I-LOADED, DEC MESSAGE-ROUTER-X.400 was successfully
       loaded with 0 units

    The licenses associated with the ALL-IN-1 MAIL Wide Area
 Network license
    have all been successfully loaded.

    This installation will now exit.

    Please install and configure Message Router before
 reinvoking this
    installation procedure to install the ALL-IN-1 MAIL product.

%VMSINSTAL-I-MOVEFILES, Files will now be moved to their
     target directories...

 Installation of A1MAIL V1.0 completed at 17:55

 VMSINSTAL procedure done at 17:55
```

Continuing with the ALL-IN-1 MAIL for VMS installation process:

- Install Message Router, MRGATE, and the Message Router X.400 Gateway.
- Configure and start up Message Router.
- The system is now ready to install ALL-IN-1 MAIL for VMS as described in the *ALL-IN-1 MAIL for VMS Installation Guide*.

**Informational Message** The following informational message was inadvertently left out of the *ALL-IN-1 MAIL for VMS Installation Guide*. It is displayed after the installer inputs the UIC for the MUAS$SERVER account:

In order to ensure that the ALL-IN-1 MAIL server runs in the proper environment, this installation procedure will create an account for the server. This account, MUAS$SERVER, has no special privileges and it is not possible to log into this account.

You must specify a unique UIC that is not a system UIC for this account in order to ensure proper security of the network. The password for this account will be generated. You do not need to know this password. It has been set as PRE-EXPIRED. If this scenerio violates your security policies, you may change it after the installation has finished via the VMS AUTHORIZE utility.

## Release Notes Information

The release notes for ALL-IN-1 MAIL Version 1.0 contain important installation-related instructions and a summary of technical changes, new features, differences, known problems, corrected errors, performance enhancements, documentation errors, restrictions, and incompatibilities.

The release notes for ALL-IN-1 MAIL can be found in A1MAIL010.RELEASE_NOTES in SYS$HELP.

## Contents of This Kit

The ALL-IN-1 MAIL kit contains:

- **Indented Bill Report (BIL) and Bill of Materials (BOM)**

  Please read the BIL and BOM enclosed in this kit and check to see that all items listed are actually in your kit. If your kit is damaged or any items are missing, call your Digital representative.

- **Media**

  If you ordered media, you will find the media and the *ALL-IN-1 MAIL for VMS Installation Guide* in this kit. Consult the *ALL-IN-1 MAIL for VMS Installation Guide* for information about installing ALL-IN-1 MAIL on your system.

- **Documentation**

  Depending on your order, this kit may include copies of the following ALL-IN-1 MAIL documentation:

  - The ***ALL-IN-1 MAIL System Manager's Guide***
    This guide provides all information needed by the ALL-IN-1 MAIL system manager, including how to add and maintain users to the ALL-IN-1 MAIL system, how to reconfigure MUAS, and how to interrogate the Message Router queues.
  - The ***ALL-IN-1 MAIL for VMS Installation Guide***
    This guide is included with the media.
  - **Software Product Description (SPD)**
    The SPD provides an overview of the ALL-IN-1 MAIL kit and its features.
  - **System Support Addendum (SSA)**
    The SSA describes the technical environment in which the product is supported.
  - **Software Performance Report (SPR)**
    The SPR is provided for you to report any problems with ALL-IN-1 MAIL, if you have purchased warranty services.
  - **Software Update Survey Card**
    This card is provided for you to provide valuable feedback to Digital on the quality of our installation. By completing this card after you install ALL-IN-1 MAIL, you help us understand our customers' needs and improve our products.

## A Final Note

Digital prides itself on responding to customer needs. In order to continue serving you, we need your comments. Each manual contains preaddressed, postage-paid Reader's Comments forms at the back. If you find errors in a manual or want to make comments about it, please fill out one of these forms and send it to us.