System Support Addendum

PRODUCT NAME: VMS DECwindows Motif®, Version 1.0 **SSA 36.09.00-A**

HARDWARE REQUIREMENTS

Processors Supported

VAX: VAXft 3000 Model 310

VAX 4000 Model 200,
VAX 4000 Model 300

VAX 6000 Model 200 Series,
VAX 6000 Model 300 Series,
VAX 6000 Model 400 Series,
VAX 6000 Model 500 Series

VAX 8200, VAX 8250, VAX 8300, VAX 8350, VAX 8500, VAX 8530, VAX 8550, VAX 8600, VAX 8650, VAX 8700, VAX 8800, VAX 8810, VAX 8820, VAX 8830, VAX 8840

VAX 9000 Model 210,
VAX 9000 Model 400 Series

VAX–11/780, VAX–11/785

MicroVAX: MicroVAX II, MicroVAX 2000,
MicroVAX 3100, MicroVAX 3300,
MicroVAX 3400, MicroVAX 3500,
MicroVAX 3600, MicroVAX 3800,
MicroVAX 3900

VAXstation: VAXstation II, VAXstation 2000,
VAXstation 3100 Series, VAXstation 3200,
VAXstation 3500, VAXstation 3520,
VAXstation 3540

All VAXstations listed above support the Display PostScript® System.

VAXserver: VAXserver 3100, VAXserver 3300, VAXserver 3400, VAXserver 3500, VAXserver 3600, VAXserver 3602, VAXserver 3800, VAXserver 3900

VAXserver 4000 Model 200,
VAXserver 4000 Model 300

VAXserver 6000-210, VAXserver 6000-220, VAXserver 6000-310, VAXserver 6000-320, VAXserver 6000-410, VAXserver 6000-420, VAXserver 6000-510, VAXserver 6000-520

Processors Not Supported

MicroVAX I, VAXstation I, VAX–11/725, VAX–11/730, VAX–11/750, VAX–11/782, VAXstation 8000

Processor Restrictions

A TK50 Tape Drive is required for standalone MicroVAX 2000 and VAXstation 2000 systems for software loading.

VMS DECwindows Motif runs on any of the supported processors, but requires either a workstation, a DOS-based PC, a Macintosh® or an X terminal for display. These display devices must be running an X Window System, Version 11, Release 4 compliant display server.

Disk Space Requirements (Block Cluster Size = 1):

Disk space required for installation:	95,000 blocks (48.6 Mbytes)
Disk space required for use (permanent):	30,000 blocks (15.4 Mbytes)

These counts refer to the disk space required on the system disk. The sizes are approximate; actual sizes may vary depending on the user's system environment, configuration, and software options.

Memory Requirements

A minimum of 8 Mbytes of memory is required on a workstation to display DECwindows.

digital™

July 1991
AE-PHCPA-TE

CLUSTER ENVIRONMENT

This product is fully supported without restrictions when installed on any valid and licensed VAXcluster* configuration. The *HARDWARE REQUIREMENTS* sections of this products Software Product Description and System Support Addendum detail any special hardware required by this product.

* V5.x VAXcluster configurations are fully described in the VAXcluster Software Product Description (29.78.xx) and include CI, Ethernet, and Mixed Interconnect configurations.

SOFTWARE REQUIREMENTS

VMS Operating System V5.4

Installation of VMS DECwindows Motif gives the user the option to install any or all of the following three components:

- VMS DECwindows Motif Compute Server
- VMS DECwindows Motif Device Support
- VMS DECwindows Motif Programming Support

VMS Tailoring

The following VMS classes are required for full functionality of this product:

- VMS Required Saveset
- Network Support
- Programming Support
- WMS Workstation Support

For more information on VMS classes and tailoring, refer to the VMS Operating System Software Product Description (SPD 25.01.xx).

OPTIONAL SOFTWARE

- PC DECwindows Motif

  PC DECwindows Motif is an MS–DOS® application that implements an X server that uses the industry-standard X Window System, Version 11 (X11) Release 4 protocol. DECwindows executing on a remote VMS system with DECnet or TCP/IP may be displayed on and receive input from the personal computer. PC DECwindows is supported only on Intel™ 80286, 80386, and 80486 machines. Refer to the PATHWORKS for DOS, Version 4.0 Software Product Description (SPD 55.07.xx) and the PATHWORKS for DOS (TCP/IP), Version 1.0 Software Product Description (SPD 33.45.xx) for full hardware and software requirements.

- PATHWORKS for DOS, Version 4.0
- PATHWORKS for DOS (TCP/IP), Version 1.0
- PATHWORKS for Macintosh, Version 1.0
- VMS/ULTRIX Connection (UCX), Version 1.3
- Linkworks Developer's Tools, Version 1.0
- DEC VUIT on VMS, Version 1.0
- DECwindows Graphical Interface Tools, Version 1.0

GROWTH CONSIDERATIONS

The minimum hardware/software requirements for any future version of this product may be different from the requirements for the current version.

DISTRIBUTION MEDIA

9-track 1600 BPI Magtape (PE), TK50 Streaming Tape

This product is also available as part of the VMS Consolidated Software Distribution on CDROM.

The VMS Online Documentation Library compact disc contains most of the VMS DECwindows documentation, which can be read using Bookreader (QT-VYR8A-C8).

ORDERING INFORMATION

Software Licenses: QL-XA1A*-AA or QP-XA1**-**
Software Media: QA-XA1**-H*
Software Documentation: QA-XA1**-GZ

Note: Documentation for VMS DECwindows Motif is available in two different sets. The VMS DECwindows Motif User Kit is for the Motif end user. The VMS DECwindows Motif Programming Kit is for the Motif software developer.

In addition, the VMS DECwindows Programming Kit is available for the XUI software developer.

The VMS DECwindows Motif Users Kit supplies the Motif Users Guide, the Motif Applications Guide and the VMS DECwindows Motif Quick Reference Card. This documentation kit is included in the H-kit. It can also be ordered separately.

For Additional Language Variants:

Software Licenses: QL-XDD**-**
Software Media: QA-XDD**-**
Software Documentation: QA-XDD**-GZ
Software Product Services: QT-XDD**-**

* Denotes variant fields. For additional information on available licenses, services, and media, refer to the appropriate price book.

User Interface Language Support

Please contact your local Digital office for the latest information on availability of options and supported multilingual configurations. For more details on the language variants, refer to the specific language variant SPD /SSAs. Refer also to the *ORDERING INFORMATION* and *SOFTWARE LICENSING* Sections of this SPD.

The above information is valid at time of release. Please contact your local Digital office for the most up-to-date information.

Appendix A

Third Party Licensing

Open Software Foundation, Inc., License Terms and Agreement

Digital Equipment Corporation certifies that VMS DECwindows Motif V1.0 is OSF®/Motif® R1.1.1 validated as tested with the OSF/Motif Validation Test Suite R1.0 with no waivers.

Adobe Systems Incorporated, License Terms and Agreement

1. Licensor grants to Licensee a nonexclusive sublicense, subject to other provisions hereof (a) to use the PostScript Software ("Software") solely for Licensee's own internal business purposes on a Single Licensed System; (b) to use the digitally-encoded machine-readable outline and bitmap programs ("Font Programs") provided by Licensor in a special encrypted format ("Coded Font Programs") and identified herewith to reproduce and display designs, styles, weights, and versions of letters, numerals, characters and symbols ("Typefaces" and "Screen Typefaces") solely for Licensee's own customary business or personal purposes on the screen of the Licensed System; and (c) to use the trademarks used by Licensor to identify the Coded Font Programs and Typefaces reproduced therefrom ("Trademarks"). Licensee may assign its rights under this Agreement to a licensee of all of Licensee's right, title and interest to such Software and Coded Font Programs provided the licensee agrees to be bound by all of the terms and conditions of this Agreement.

2. Licensee acknowledges that the Software, Coded Font Programs, Typefaces and Trademarks are proprietary to Licensor and its suppliers. Licensee agrees to hold the Software and Coded Font Programs in confidence, disclosing the Software and Coded Font Programs only to authorized employees having a need to use the Software and Coded Font Programs as permitted by this Agreement and to take all reasonable precautions to prevent disclosure to other parties.

3. Licensee will not make or have made, or permit to be made, any copies of the Software or Coded Font Programs or portions thereof, except as necessary for its use with a single Licensed System hereunder. Licensee agrees that any such copies shall contain the same proprietary notices which appear on or in the Software or the Coded Font Programs.

4. Except as stated above, this Agreement does not grant Licensee any rights to patents, copyrights, trade secrets, trade names, trademarks (whether registered or unregistered), or any other rights, franchises, or licenses in respect of the Software, Coded Font Programs, Typefaces, or Trademarks. Licensee will not adapt or use any trademark or trade name which is likely to be similar to or confusing with that of Licensor or any of its suppliers or take any other action which impairs or reduces the trademark rights of Licensor or its suppliers. Any use of the Trademarks must identify the applicable ''Trademark Owner'' set forth in Schedule A hereto as the owner of such Trademarks. At the reasonable request of Licensor, Licensee must supply samples of any Typeface identified by a Trademark.

5. Licensee agrees that it will not attempt to alter, disassemble, decrypt or reverse compile the Software or Coded Font Programs.

6. Licensee acknowledges that the laws and regulations of the United States restrict the export and re-export of commodities and technical data of United States origin, including the Software or Coded Font Programs. Licensee agrees that it will not export or re-export the Software or Coded Font Programs in any form without the appropriate United States and foreign government licenses. Licensee agrees that its obligations pursuant to this section shall survive and continue after any termination or expiration of rights under this Agreement.

7. The software licensed hereunder is restricted to use to generate screen displays on a single Licensed System having a screen resolution of less than 150 dots/per/inch. Licensee agrees not to make use of the software, directly or indirectly, to print bitmap images with print resolutions of 150 dots/per/inch or greater, or to generate Fonts or Typefaces for use other than with the Licensed System. Any failure of Licensee to comply with this provision is a material breach of this End User Agreement.

® Motif, OSF, and OSF/Motif are registered trademarks of the Open Software Foundation, Inc.

® PostScript is a registered trademark of Adobe Systems Incorporated.

® Macintosh is a registered trademark of Apple Computer, Inc.

® MS–DOS is a registered trademark of Microsoft Corporation.

™ Intel is a trademark of the Intel Corporation.

™ The DIGITAL Logo, CI, DEC, DECimage, DECnet, DECterm, DEC VUIT, DECwindows, Linkworks, MicroVAX, ReGIS, TK, ULTRIX, VAX, VAX Ada, VAX BASIC, VAX FORTRAN, VAX Pascal, VAX MACRO, VAX C, VAXcluster, VAXft, VAXserver, VAXstation, VMS, VT and XUI are trademarks of Digital Equipment Corporation.