System Support Addendum

PRODUCT NAME: DEC RdbAccess for VAX RMS on VMS, Version 1.0 **SSA 32.88.00-A**

HARDWARE REQUIREMENTS

Processors Supported

VAX: VAXft 3000-310,
VAX 4000 Model 200 Series,
VAX 4000 Model 300 Series,
VAX 6000 Model 200 Series,
VAX 6000 Model 300 Series,
VAX 6000 Model 400 Series,
VAX 6000 Model 500 Series

VAX 8200, VAX 8250, VAX 8300, VAX 8350, VAX 8500, VAX 8530, VAX 8550, VAX 8600, VAX 8650, VAX 8700, VAX 8800, VAX 8810, VAX 8820, VAX 8830, VAX 8840

VAX 9000-210,
VAX 9000 Model 400 Series

VAX-11/780, VAX-11/785

MicroVAX: MicroVAX II, MicroVAX 2000, MicroVAX 3100, MicroVAX 3300, MicroVAX 3400, MicroVAX 3500, MicroVAX 3600, MicroVAX 3800, MicroVAX 3900

VAXstation: VAXstation II, VAXstation 2000, VAXstation 3100 Series, VAXstation 3200, VAXstation 3500, VAXstation 3520, VAXstation 3540

VAXserver: VAXserver 3100, VAXserver 3300, VAXserver 3400, VAXserver 3500, VAXserver 3600, VAXserver 3602, VAXserver 3800, VAXserver 3900, VAXserver 4000 Model 300

VAXserver 6000-210, VAXserver 6000-210, VAXserver 6000-310, VAXserver 6000-320, VAXserver 6000-410, VAXserver 6000-420, VAXserver 6000-510, VAXserver 6000-520

Processors Not Supported

MicroVAX I, VAXstation I, VAX-11/725, VAX-11/730, VAX-11/750, VAX 11/782, VAXstation 8000

Processor Restrictions:

A TK50 Tape Drive is required for standalone MicroVAX 2000 and VAXstation 2000 systems.

Disk Space Requirements (Block Cluster Size = 1):

Disk space required for installation:	3,000 blocks (1.5M bytes)
Disk space required for use (permanent):	2,000 blocks (1.0M bytes)

These counts refer to the disk space required on the system disk. The sizes are approximate; actual sizes may vary depending on the user's system environment, configuration, and software options.

CLUSTER ENVIRONMENT

This layered product is fully supported when installed on any valid and licensed VAXcluster* configuration without restrictions. The *HARDWARE REQUIREMENTS* sections of this product's Software Product Description and System Support Addendum detail any special hardware required by this product.

* V5.x VAXcluster configurations are fully described in the VAXcluster Software Product Description (29.78.xx) and include CI, Ethernet and Mixed Interconnect configurations.

SOFTWARE REQUIREMENTS

- VMS Operating System V5.3 - V5.4*
- VAX CDD/Plus V4.2
- VAX Rdb/VMS V4.0**

digital™

March 1991
AE-PCL1A-TE

* If a two phase commitment is required, VMS Operating System V5.4 is required.

** **Note:** To access VAX RMS or IBM MVS data sets from VAX nodes in a network other than a node on which RdbAccess for VAX RMS is installed, either VAX Rdb/VMS Development Option, VAX Rdb/VMS Interactive Option, or VAX Rdb/VMS Run-Time Only Option software must be installed on the node from which the user initiates the access. Refer to the VAX Rdb/VMS Software Product Description (SPD 25.59.xx) for more information on Run-Time, Interactive, and Full Development Options.

VMS Tailoring

For VMS V5.x systems, the following VMS classes are required for full functionality of this layered product:

- VMS Required Saveset
- Network Support
- Programming Support
- System Programming Support
- Secure User's Environment
- Utilities

For more information on VMS classes and tailoring, refer to the VMS Operating System Software Product Description (SPD 25.01.xx).

OPTIONAL SOFTWARE

In order to access IBM® MVS data sets the following product must be installed:

- DECnet/SNA Data Transfer Facility V2.0

One of the following must be used to provide a RdbAccess for VAX RMS interface:

For interactive query access use one or more of the following:

- VAX TEAMDATA V1.4
- DECdecision V1.1
- The Interactive Query Components of VAX Rdb/VMS V4.0 (SQL)
- DECquery for DOS V1.0
- DECquery for MS®-Windows V1.0

For application development using high level languages, use one or more of the following precompilers supplied with the VAX Rdb/VMS Full Development Option or VAX Rdb/VMS Development Upgrade. For more information about VAX Rdb/VMS application development options and supported versions of high level language compilers, please refer to the VAX Rdb/VMS Software Product Description (SPD 25.59.xx).

- VAX Rdb/VMS precompilers for VAX BASIC, VAX C, VAX COBOL, VAX FORTRAN, or VAX Pascal
- VAX Rdb/VMS SQL precompilers for VAX Ada, VAX C, VAX COBOL, VAX FORTRAN, and VAX PL/I
- VAX Rdb/VMS SQL Module Language for any language that supports the VMS calling standard
- VAX Rdb/VMS V4.0 Full Development Option or Interactive Option
- SQL/Services API
- VAX Data Distributor V2.2

GROWTH CONSIDERATIONS

The minimum hardware/software requirements for any future version of this product may be different than the requirements for the current version.

DISTRIBUTION MEDIA

Tape: 9-track 1600 BPI Magtape (PE), TK50 Streaming Tape

This product is also available as part of the VMS Consolidated Software Distribution on CDROM.

The software documentation for this product is also available as part of the VMS Online Documentation Library on CDROM.

ORDERING INFORMATION

Software Licenses: QL-YQZA*-**

Software Media: QA-YQZA*-**

Software Documentation: QA-YQZA*-GZ

Software Product Services: QT-YQZA*-**

* Denotes variant fields. For additional information on available licenses, services, and media, refer to the appropriate price book.

The above information is valid at time of release. Please contact your local Digital office for the most up-to-date information.

® IBM and OS/2 are registered trademarks of International Business Machines Corporation.

® Macintosh is a registered trademark of Apple Computer, Inc.

® MS and MS-DOS are registered trademarks of Microsoft Corporation.

™ The DIGITAL Logo, CI, DATATRIEVE, DECdecision, DECnet/SNA, MicroVAX Rdb/VMS, RMS, VAX, VAX Ada, VAX BASIC, VAX C, VAX COBOL, VAX CDD/Plus, VAX FORTRAN, VAX Pascal, ULTRIX, VAX TEAM-DATA, VMS, VAXcluster, VAXserver, and VAXstation are trademarks of Digital Equipment Corporation.