# Compact Disc Contents

The following table lists all products and versions that are included on this release. The status column indicates whether the product is a new addition to the compact disc or has been updated since the last issue. The UPI column represents the Unique Product Identifier. The CD column is the respective disc number.

**Table 1 March 1992 Master Index**

| Product Name | Vers | UPI | Status | CD | Directory |
|---|---|---|---|---|---|
| 3270 TERMINAL OPTION SOFTWARE | 1.1 | VV9AA | | 2 | [CXM011] |
| AAF01/VMS SUBROUTINE LIBRARY | 2.0 | EFRAA | | 2 | [AAF01020] |
| ADF01/VMS SUBROUTINE LIBRARY | 4.0 | 735AA | | 2 | [ADF01040] |
| ALL–IN–1 | 2.4 | AAAAA | | 1 | [A1ENGLISH024] |
| ALL–IN–1 DESKTOP SERVER FOR VMS | 1.1 | YFFAA | Updated | 1 | [A1SVC011] |
| ALL–IN–1 MAIL | 1.0 | YCZAA | | 1 | [A1MAIL010] |
| ALL–IN–1 MAIL/DEUTSCH | 1.0 | VZ7GA | | 4 | [A1MAILDE010] |
| ALL–IN–1 MAIL/DEUTSCH | 1.0 | YFTGA | | 4 | [A1MAILDE010] |
| ALL–IN–1 MAIL/DEUTSCH | 1.0 | YFUGA | | 4 | [A1MAILDE010] |
| ALL–IN–1 MAIL/FRANCAIS | 1.0 | VZ7PA | | 4 | [A1MAILFR010] |
| ALL–IN–1 MAIL/ITALIANO | 1.0 | VZ7UA | | 4 | [A1MAILIT010] |
| ALL–IN–1 SERVICES FOR DECWINDOWS | 1.0A | YG4AA | | 1 | [ASD010] |
| ALL–IN–1 STARTER | 2.4 | VNNAA | | 1 | [ASENGLISH024] |
| BASESTAR CIMFAST FOR VMS (Development) | 1.0 | XDBAA | | 6 | [BCF010] |
| BASESTAR CIMFAST FOR VMS (Runtime) | 1.0 | XDCAA | | 6 | [BCF010] |
| BASESTAR FOR VMS (Development) | 3.1 | YU9AA | Updated | 6 | [BCC031] |
| BASESTAR FOR VMS (Runtime) | 3.1 | YUAAA | Updated | 6 | [BCC031] |
| CDA CONVERTER LIBRARY FOR VMS | 1.0 | VZAAA | | 1 | [CDACVTLIB010] |
| CDA CONVERTER LIBRARY FOR VMS | 1.1 | VZAAA | | 1 | [CDACVTLIB011] |
| CDD/ADMINISTRATOR FOR VMS | 1.0 | YP8AA | New | 6 | [CDDT010] |
| CDD/REPOSITORY FOR VMS | 5.0 | 897AA | Updated | 6 | [CDD050] |
| DEC COMMSERVER FOR VMS | 1.0 | GCQAA | | 2 | [COMMSERVER010] |
| DEC COMPUTER INTEGRATED TELEPHONY APPLIC. INTERFACE FOR VMS | 3.0 | VGXAA | | 2 | [CIT030] |
| DEC COMPUTER INTEGRATED TELEPHONY SERVER FOR VMS | 3.0 | VGYAA | | 2 | [CITSR030] |
| DEC FILE OPTIMIZER FOR VMS | 1.0 | GJ8AA | New | 6 | [DFG010] |
| DEC GKS FOR VMS | 4.2 | 810AA | Updated | 3 | [DECGKS042] |

(continued on next page)

**Table 1 (Cont.) March 1992 Master Index**

| Product Name | Vers | UPI | Status | CD | Directory |
|---|---|---|---|---|---|
| DEC GKS FOR VMS (Runtime) | 4.2 | 811AA | Updated | 3 | [DECGKSRTO042] |
| DEC GKS–3D FOR VMS | 1.2 | VFXAA | | 3 | [DECGKS3D012] |
| DEC GKS–3D FOR VMS (Runtime) | 1.2 | VFYAA | | 3 | [DECGKS3DRT012] |
| DEC GKS–3D/JAPANESE FOR VMS | 1.1 | VFXJA | | 5 | [DECGKS3DJ011] |
| DEC GKS–3D/JAPANESE FOR VMS (Runtime) | 1.1 | VFYJA | | 5 | [DECGKS3DRTJ011] |
| DEC GKS/JAPANESE FOR VMS /JAPANESE | 4.2 | 810JA | | 5 | [DECGKSJ042] |
| DEC GKS/JAPANESE FOR VMS /JAPANESE (Runtime) | 4.2 | 811JA | | 5 | [DECGKSJRTO042] |
| DEC IEZ11 CLASS DRIVER FOR VMS | 2.0 | YEHAA | | 3 | [IEZ11020] |
| DEC INFOSERVER CLIENT FOR VMS | 1.0 | GGWAA | | 1 | [ESS010] |
| DEC INSTANTSQL FOR Rdb/VMS | 1.0 | MEQAA | New | 6 | [INSTANTSQL010] |
| DEC ODA CDA GATEWAY FOR VMS | 1.0 | YHNAA | | 2 | [ODA010] |
| DEC OSI APPLICATION DEVELOPER'S TOOLKIT | 1.0 | GZRAA | | 3 | [OSI_TOOLKIT010] |
| DEC PHIGS FOR VMS | 2.2A | 0KBAA | | 3 | [DECPHIGS022] |
| DEC PHIGS FOR VMS (Runtime) | 2.2A | VK1AA | | 3 | [DECPHIGSRTO022] |
| DEC PHIGS/JAPANESE FOR VMS /JAPANESE | 2.2 | 0KBJA | | 5 | [DECPHIGSJ022] |
| DEC PHIGS/JAPANESE FOR VMS /JAPANESE (Runtime) | 2.2 | VK1JA | | 5 | [DECPHIGSJTRO022] |
| DEC PRINTSERVER SUPPORTING HOST SOFTWARE FOR VMS | 4.0 | 798AA | | 2 | [LPSVS040] |
| DEC RDB LANGUAGE TRANSLATORS FOR VMS | 1.0 | GH9AA | | 3 | [RDBTRANS010] |
| DEC RDBACCESS FOR ORACLE ON VMS | 1.0 | YQVAA | | 3 | [VIDAO010] |
| DEC RDBACCESS FOR VAX RMS ON VMS | 1.0 | YQZAA | | 3 | [NSDS010] |
| DEC RDBEXPERT FOR VMS | 1.0 | VFJAA | | 3 | [RDBX010] |
| DEC REALTIME TEST INTEGRATOR FOR VMS (Development) | 2.1 | YWQAA | | 3 | [RTI021] |
| DEC REALTIME TEST INTEGRATOR FOR VMS (Runtime) | 2.1 | B15AA | | 3 | [RTIRT021] |
| DEC RELIABLE TRANSACTION ROUTER | 2.0 | XNKAA | New | 6 | [RTRSFT020] |
| DEC REMOTE OPERATION SERVICES (ROS) FOR VMS | 1.0 | YU2AA | | 2 | [ROS010] |
| DEC ROS DEVELOPMENT KIT FOR VMS | 4.0 | YU3AA | | 2 | [PLC409040] |
| DEC SOFTPC FOR VMS | 3.0 | YNWAA | | 3 | [SOFTPC030] |

(continued on next page)

**Table 1 (Cont.) March 1992 Master Index**

| Product Name | Vers | UPI | Status | CD | Directory |
|---|---|---|---|---|---|
| DEC TRELLIS OBJECT SYSTEM FOR VMS | 1.0 | YLVAA | | 3 | [TRELLIS010] |
| DEC VTX | 5.0 | 031AA | Updated | 3 | [VTX050] |
| DEC VUIT (VISUAL USER INTERFACE TOOL) FOR VMS | 2.0 | YHCAA | | 6 | [DECVUIT020] |
| DEC VUIT (VISUAL USER INTERFACE TOOL)/JAPANESE FOR VMS | 2.0 | YHCJA | | 5 | [DWTOOLSJA010] |
| DEC WANROUTER 100/500 | 1.0 | YT7AA | Updated | 3 | [VROU010] |
| DEC WANROUTER 100/500 (Frame Relay Data Links) | 1.0 | YT7AD | New | 3 | [VROUFR010] |
| DEC X25GATEWAY 100/500 | 1.0 | YT8AA | | 3 | [X25GWY010] |
| DEC/EDI | 1.1 | YM1AA | | 3 | [DECEDI011] |
| DECBRIDGE 500 SOFTWARE MICROCODE FOR VMS | 3.0 | YLYAA | | 2 | [DEFEB030] |
| DECCONCENTRATOR 500 SOFTWARE MICROCODE FOR VMS | 3.0C | YLZAA | | 2 | [DEFCN030] |
| DECDECISION | 1.5 | VW3AA | | 3 | [DECISION015] |
| DECDECISION/DEUTSCH | 1.5 | VW3GA | | 4 | [DECISIONDE015] |
| DECDECISION/ESPAÑOL | 1.1 | VW3SA | | 4 | [DECISIONES011] |
| DECDECISION/FRANCAIS | 1.5 | VW3PA | | 4 | [DECISIONFR015] |
| DECDECISION/JAPANESE FOR VMS /JAPANESE | 1.1 | VW3JA | | 5 | [DECISIONJA011] |
| DECDECISION/NEDERLANDS | 1.1 | VW3HA | | 4 | [DECISIONNL011] |
| DECDECISION/SVENSKA FOR VMS | 1.1 | VW3MA | | 4 | [DECISIONSE011] |
| DECDESIGN | 1.1 | XD1AA | | 2 | [DES011] |
| DECDX/VMS | 1.2 | 708AA | | 2 | [DDX012] |
| DECELMS (DEC EXTENDED LAN MANAGEMENT SOFTWARE) | 1.1 | YFPAA | | 2 | [ELMS011] |
| DECFORMS | 1.3 | VCHAA | | 3 | [FORMS013] |
| DECFORMS (Runtime) | 1.3 | VNSAA | | 3 | [FORMSRT013] |
| DECFORMS/JAPANESE | 1.3 | VCHJA | Updated | 5 | [FORMSJ013] |
| DECFORMS/JAPANESE (Runtime) | 1.3 | VNSJA | Updated | 5 | [FORMSRTJ013] |
| DECIMAGE APPLICATION SERVICES FOR VMS | 3.1 | 892AA | Updated | 2 | [IMG031] |
| DECIMAGE CHARACTER RECOGNITION SERVICES FOR VMS | 1.0 | GJFAA | | 2 | [DCRS010] |
| DECIMAGE EXPRESS FOR VMS (Client) | 2.0 | MBWAA | Updated | 2 | [DEX020] |
| DECIMAGE EXPRESS FOR VMS (Development) | 2.0 | MBVAA | Updated | 2 | [DADE010] |
| DECIMAGE EXPRESS FOR VMS (Server) | 2.0 | MBXAA | Updated | 2 | [DEX020] |

(continued on next page)

**Table 1 (Cont.) March 1992 Master Index**

| Product Name | Vers | UPI | Status | CD | Directory |
|---|---|---|---|---|---|
| DECIMAGE SCAN SOFTWARE FOR VMS | 2.1 | VPFAA | | 2 | [ISA021] |
| DECIMAGE STORAGE MANAGER FOR VMS | 1.0 | 893AA | | 2 | [ISM010] |
| DECINTACT | 2.0 | VF1AA | | 3 | [DECINTACT020] |
| DECINTACT (Remote) | 2.0 | VF3AA | | 3 | [DECINTACT020] |
| DECINTACT (Runtime) | 2.0 | VF2AA | | 3 | [DECINTACT020] |
| DECMCC BASIC MANAGEMENT SYSTEM | 1.1 | YSUAA | | 2 | [MCCBMS011] |
| DECMCC DEVELOPER'S TOOLKIT | 1.1 | YSWAA | | 2 | [MCCTK011] |
| DECMCC DIRECTOR | 1.1 | VM9AA | | 2 | [MCCDIR011] |
| DECMCC ENTERPRISE MANAGEMENT STATION | 2.1 | YFVAA | | 2 | [MCCEMS021] |
| DECMCC EXTENDED LAN MANAGER AM | 1.0 | GX8AA | | 2 | [MCCELM010] |
| DECMCC SITE MANAGEMENT STATION | 2.1 | YGLAA | | 2 | [MCCSMS021] |
| DECMCC TCP/IP SNMP ACCESS MODULE FOR VMS | 1.0 | YSVAA | | 2 | [MCCTCPIP010] |
| DECMCC WANDESIGNER | 1.0 | YMGAA | | 2 | [NDS010] |
| DECMESSAGEQ FOR VMS | 1.0 | GKPAA | | 2 | [DMQ010] |
| DECNDU (NETWORK DEVICE UPGRADE) UTILITY FOR VMS | 1.1 | YWWAA | | 2 | [NDU011] |
| DECNET-VAX | 5.5 | D05AA | Updated | 1 | [NETVAX055] |
| DECNET-VAX (Extensions) | 5.4 | D04AB | Updated | 1 | [DNVEXT054] |
| DECNET/SNA DATA TRANSFER FACILITY (Server) | 3.0 | VEBAA | | 2 | [SNADTFS030] |
| DECNET/SNA DATA TRANSFER FACILITY (Utilities) | 3.0 | VEKAA | | 2 | [SNADTFU030] |
| DECNET/SNA DATA TRANSFER FACILITY/JAPANESE (Server) | 3.0 | VEBJA | New | 5 | [SNADTFSJA030] |
| DECNET/SNA DATA TRANSFER FACILITY/JAPANESE (Utilities) | 3.0 | VEKJA | New | 5 | [SNADTFUJA030] |
| DECNET/SNA GATEWAY FOR CHANNEL TRANSPORT | 2.1 | VC9AA | | 2 | [SNACSA021] |
| DECNET/SNA GATEWAY FOR SYNCHRONOUS TRANSPORT | 1.2 | S01AA | | 2 | [SNACST012] |
| DECNET/SNA VMS 3270 DATA STREAM PROGRAMMING INTERFACE | 1.4 | 363AA | | 2 | [SNA3270014] |
| DECNET/SNA VMS 3270 TERMINAL EMULATOR | 1.5 | 454AA | | 2 | [SNATE015] |
| DECNET/SNA VMS APPC/LU6.2 PROGRAMMING INTERFACE | 2.2 | 022AA | | 2 | [SNALU62022] |

(continued on next page)

**Table 1 (Cont.) March 1992 Master Index**

| Product Name | Vers | UPI | Status | CD | Directory |
|---|---|---|---|---|---|
| DECNET/SNA VMS APPLICATION PROGRAMMING INTERFACE | 2.3 | 455AA | | 2 | [SNALU0023] |
| DECNET/SNA VMS DISOSS DOCUMENT EXCHANGE FACILITY | 1.4 | 042AA | | 2 | [SNADDXF014] |
| DECNET/SNA VMS DISTRIBUTED HOST COMMAND FACILITY | 1.2 | 043AA | | 2 | [SNADHCF012] |
| DECNET/SNA VMS PRINTER EMULATOR | 1.2 | 044AA | | 2 | [SNAPRE012] |
| DECNET/SNA VMS REMOTE JOB ENTRY | 1.4 | 453AA | | 2 | [SNARJE014] |
| DECOMNI/VMS | 1.1A | YMEAA | Updated | 2 | [OMNI011] |
| DECPAGE | 3.1 | AANAA | | 3 | [PAGE031] |
| DECPAGE/DEUTSCH | 3.1 | AANGA | | 4 | [DECPAGEGERM031] |
| DECPAGE/ESPAÑOL | 3.1 | AANSA | | 4 | [DECPAGESPAN031] |
| DECPAGE/ITALIANO | 3.1 | AANUA | | 4 | [DECPAGEITAL031] |
| DECPERFORMANCE SOLUTION ACCOUNTING CHARGEBACK | 1.0 | XTXAA | | 3 | [PSAC010] |
| DECPERFORMANCE SOLUTION CAPACITY PLANNER | 1.0 | GX3AA | | 3 | [PSCP010] |
| DECPERFORMANCE SOLUTION DATA COLLECTOR | 1.0 | GX1AA | | 3 | [PSDC010] |
| DECPERFORMANCE SOLUTION PERFORMANCE ADVISOR | 1.0 | GX2AA | | 3 | [PSPA010] |
| DECPLAN FOR VMS | 1.1 | YPBAA | Updated | 3 | [DPL011] |
| DECPRESENT FOR VMS | 1.0 | YHEAA | | 3 | [PRESENT010] |
| DECPRESENT/DEUTSCH FOR VMS | 1.0 | YHEGA | | 6 | [PRESENTDE010] |
| DECPRESENT/FRANÇAIS FOR VMS | 1.0 | YHEPA | | 6 | [PRESENTFR010] |
| DECPRESENT/ITALIANO FOR VMS | 1.0 | YHEUA | | 6 | [PRESENTIT010] |
| DECPRESENT/NEDERLANDS FOR VMS | 1.0 | YHEHA | | 6 | [PRESENTNE010] |
| DECPRESENT/SVENSKA FOR VMS | 1.0 | YHEMA | | 6 | [PRESENTSV010] |
| DECPRINT PRINTING SERVICES FOR VMS | 4.1 | YNCAA | | 3 | [CPS041] |
| DECPRINT PRINTING SERVICES /JAPANESE FOR VMS/JAPANESE | 4.0 | YNCJA | | 5 | [CPSJ040] |
| DECPRINT UTILITY FOR POSTSCRIPT TO SIXEL PRINTING FOR VMS | 1.0 | VZPAA | | 3 | [PSPRINT010] |
| DECQUERY FOR VMS | 1.6 | MD1AA | New | 6 | [QUERY016] |
| DECRAM FOR VMS | 1.0 | GJ9AA | | 3 | [DECRAM010] |
| DECROUTER 2000 | 1.2 | VI8AA | | 2 | [ROU012] |
| DECROUTER 250 | 1.1 | YG6AA | | 2 | [RT2011] |

(continued on next page)

**Table 1 (Cont.) March 1992 Master Index**

| Product Name | Vers | UPI | Status | CD | Directory |
|---|---|---|---|---|---|
| DECSCHEDULER FOR VMS | 1.1A | YLLAA | | 3 | [SCHEDULER011] |
| DECSERVER 200 FOR VMS | 3.1 | VCBAA | | 2 | [DS2031] |
| DECSERVER 250 FOR VMS | 2.0 | VTMAA | | 2 | [DS25020] |
| DECSERVER 300 FOR VMS | 2.1 | VTUAA | | 2 | [DS3021] |
| DECSERVER 500 FOR VMS | 2.1 | 03KAA | | 2 | [DS5021] |
| DECTRACE FOR VMS | 1.1A | VW2AA | | 3 | [EPC011] |
| DECVIEW3D CONCURRENT VIEW AND EDIT MODULE FOR VMS | 2.1 | XWSAA | | 3 | [CVE021] |
| DECVIEW3D FOR VMS | 2.1 | 796AA | | 3 | [DECVIEW3D021] |
| DECVOICE SOFTWARE | 2.0A | VFUAA | | 3 | [VOXMUPA020] |
| DECWINDOWS 4125 EMULATOR FOR VMS | 1.0 | VZQAA | | 2 | [DW4125010] |
| DECWINDOWS DECNET/SNA 3270 TE/JAPANESE | 1.0A | VXBJA | | 5 | [SNADWTEJA010] |
| DECWINDOWS DECNET/SNA 3270 TERMINAL EMULATOR FOR VMS | 1.0 | VXBAA | | 2 | [SNADWTE010] |
| DECWINDOWS GRAPHICAL INTERFACE TOOLS | 1.0 | XAQAA | | 6 | [DWGRAPHINT010] |
| DECWINDOWS TOOLS PACKAGE FOR MOTIF ON VMS | 1.0 | LAXAA | | 6 | [DWTOOLS010] |
| DECWRITE FOR VMS | 2.0 | VVFAA | Updated | 3 | [DECWRITE020] |
| DECWRITE/BRITISH FOR VMS | 1.1 | VVFEA | | 6 | [DECWRITEBR011] |
| DECWRITE/DANSK FOR VMS | 1.1 | VVFDA | | 6 | [DECWRITEDA011] |
| DECWRITE/DEUTSCH FOR VMS | 1.1 | VVFGA | | 6 | [DECWRITEDE011] |
| DECWRITE/ESPAÑOL FOR VMS | 1.1 | VVFSA | | 6 | [DECWRITEES011] |
| DECWRITE/FRANCAIS FOR VMS | 1.1 | VVFPA | | 6 | [DECWRITEFR011] |
| DECWRITE/ITALIANO FOR VMS | 1.1 | VVFUA | | 6 | [DECWRITEIT011] |
| DECWRITE/JAPANESE FOR VMS /JAPANESE | 1.1 | VVFJA | | 5 | [DECWRITEJA011] |
| DECWRITE/NEDERLANDS FOR VMS | 1.1 | VVFHA | | 6 | [DECWRITENL011] |
| DECWRITE/NORSK FOR VMS | 1.1 | VVFNA | | 6 | [DECWRITENO011] |
| DECWRITE/SUOMI FOR VMS | 1.1 | VVFFA | | 6 | [DECWRITEFI011] |
| DECWRITE/SVENSKA FOR VMS | 1.1 | VVFMA | | 6 | [DECWRITESE011] |
| DIGITAL CARTRIDGE SERVER COMPONENT FOR VMS | 1.1 | YWNAA | | 2 | [DCSC011] |
| DIGITAL EXTENDED MATH LIBRARY FOR VMS | 1.0B | YEZAA | | 3 | [DXML010] |
| DRB32 VMS DRIVERS | 3.0 | VF5AA | | 2 | [DRB32030] |
| DRX11-C/VMS DRIVER | 6.0 | S36AA | | 2 | [DRX11C060] |
| EDCS II (Client) | 2.1 | 380AA | | 3 | [EDCS021] |
| EDCS II (Server) | 2.1 | 518AA | | 3 | [EDCS021] |

(continued on next page)

**Table 1 (Cont.) March 1992 Master Index**

| Product Name | Vers | UPI | Status | CD | Directory |
|---|---|---|---|---|---|
| EXTERNAL DOCUMENT EXCHANGE WITH IBM DISOSS | 2.1 | 761AA | | 2 | [EDEDIS021] |
| FORTRAN IV/VAX TO RSX | 2.8 | 107AA | | 3 | [FORIV028] |
| IEX-VMS-DRIVER | 4.2C | 519AA | | 2 | [IEX042] |
| INFOSERVER 100 SOFTWARE | 1.1 | YSHAA | | 1 | [INFOSERV011] |
| IXV/VAXELN DRIVER | 2.1 | VG3AA | | 2 | [IXVELN021] |
| IXV11/VMS DRIVER | 2.1 | VHZAA | | 2 | [IXV11021] |
| LAN TRAFFIC MONITOR | 1.2 | VEHAA | | 2 | [LTM012] |
| LINKWORKS DEVELOPER'S TOOLS FOR VMS | 1.0 | XARAA | | 6 | [LINKWORKS010] |
| MICROVAX MIRA SWITCH CONTROL | 2.2 | 09TAA | | 2 | [MRA022] |
| MICROVAX/DRQ3B DEVICE DRIVER | 1.3B | 0APAA | | 2 | [HX013] |
| MIRA HIGH AVAILABILITY MANAGEMENT SOFTWARE FOR VMS | 1.0 | YHMAA | | 2 | [HAMS010] |
| MUXSERVER 300 REMOTE TERMINAL SERVER FOR VMS | 1.2 | VT7AA | | 2 | [MS3012] |
| NMCC/DECNET MONITOR | 2.3 | VTGAA | | 2 | [NMCC023] |
| NMCC/VAX ETHERNIM | 2.3 | 514AA | | 2 | [ENIM023] |
| PATHWORKS FOR VMS | 4.1 | A93AA | Updated | 6 | [PCSA041] |
| PATHWORKS FOR VMS (Macintosh) | 1.1 | YPCAA | New | 6 | [MSA011] |
| PBXSERVER | 2.1 | VCCEA | | 2 | [PBXSERVER021] |
| PDP–11 C FOR VMS | 1.2 | YEJAA | Updated | 3 | [PDP11C012] |
| PDP–11 DATATRIEVE/VAX | 3.3A | 105AA | | 3 | [DTR11033] |
| PDP–11 FORTRAN–77/VAX TO RSX | 5.4 | 138AA | | 3 | [FOR77PDP054] |
| PDP–11 SYMBOLIC DEBUGGER/VAX TO RSX | 2.2 | 139AA | | 3 | [PDPDEBUG022] |
| REMOTE SYSTEM MANAGER | 2.3 | B13AA | | 2 | [RSMSRV023] |
| SESSION SUPPORT UTILITY | 1.3 | VE3AA | | 2 | [SSU013] |
| TERMINAL SERVER MANAGER | 1.5 | VDHAA | Updated | 2 | [TSM015] |
| VAX 2780/3780 PROTOCOL EMULATOR | 1.7 | 111AA | | 2 | [BSCPTP017] |
| VAX ACMS (Development) | 3.2 | 079AA | | 1 | [ACMSDEV032] |
| VAX ACMS (Remote) | 3.2 | Y30AA | | 1 | [ACMSREM032] |
| VAX ACMS (Runtime) | 3.2 | 076AA | | 1 | [ACMSRTO032] |
| VAX ACMS/JAPANESE (Development) | 3.2 | 079JA | New | 5 | [ACMSDEVJA032] |
| VAX ACMS/JAPANESE (Remote) | 3.2 | Y30JA | New | 5 | [ACMSREMJA032] |
| VAX ACMS/JAPANESE (Runtime) | 3.2 | 076JA | New | 5 | [ACMSRTOJA032] |
| VAX ADA | 2.2 | 056AA | | 1 | [ADA022] |
| VAX ADE | 2.5 | 425AA | | 3 | [ADE025] |
| VAX APL | 4.0 | 020AA | | 1 | [APL040] |

(continued on next page)

**Table 1 (Cont.) March 1992 Master Index**

| Product Name | Vers | UPI | Status | CD | Directory |
|---|---|---|---|---|---|
| VAX BASIC | 3.5 | 095AA | | 1 | [BASIC035] |
| VAX BLISS-32 IMPLEMENTATION LANGUAGE | 4.6 | 106AA | | 1 | [BLS32046] |
| VAX C | 3.2 | 015AA | | 1 | [VAXC032] |
| VAX COBOL | 4.4A | 099AA | | 1 | [COBOL044] |
| VAX COBOL GENERATOR | 1.3 | 365AA | | 1 | [GEN013] |
| VAX COBOL GENERATOR/JAPANESE | 1.3 | 365JA | | 5 | [JGEN013] |
| VAX COBOL/JAPANESE | 4.4 | 099JA | | 5 | [NCOBOL044] |
| VAX COMPUTER INTEGRATED TELEPHONY MESSAGE DESK | 1.0 | YG8AA | | 2 | [CITMD010] |
| VAX DATA DISTRIBUTOR | 2.2 | VDRAA | | 1 | [DDAL022] |
| VAX DATATRIEVE | 5.1 | 898AA | | 1 | [DTR051] |
| VAX DATATRIEVE/JAPANESE | 5.1 | 898JA | Updated | 5 | [JDTR051] |
| VAX DBMS | 4.2 | 899AA | | 1 | [DBMDEV042] |
| VAX DBMS | 4.2A | 899AA | | 1 | [DBM042A] |
| VAX DBMS (Runtime) | 4.2 | 915AA | | 1 | [DBMRTO042] |
| VAX DEC/CMS | 3.4 | 007AA | | 1 | [CMS034] |
| VAX DEC/MAP | 3.0 | VFZAA | Updated | 1 | [MAP030] |
| VAX DEC/MAP | 3.0A | VFZAA | Updated | 1 | [MAPUPDATE110] |
| VAX DEC/MMS | 2.6 | VADAA | | 1 | [MMS026] |
| VAX DEC/TEST MANAGER | 3.2 | 927AA | | 1 | [DTM032] |
| VAX DECALC | 4.0 | 310AA | | 2 | [CALC040] |
| VAX DECALC-PLUS | 4.0 | A98AA | | 2 | [PLUS040] |
| VAX DECGRAPH | 1.6 | 360AA | | 2 | [GRAPH016] |
| VAX DECISION EXPERT | 1.0B | VI2AA | | 3 | [DEEX010] |
| VAX DECSCAN VMS AND ELN BITBUS DRIVERS | 2.0 | VCJAA | | 2 | [IBQ020] |
| VAX DECSCAN VMS SOFTWARE TOOLKIT | 2.1 | VCSAA | | 2 | [IOTK021] |
| VAX DECSLIDE | 1.4 | 361AA | | 3 | [SLIDE014] |
| VAX DIBOL | 4.2 | 018AA | Updated | 1 | [DIBOL042] |
| VAX DISK STRIPING DRIVER FOR VMS | 2.0 | YELAA | | 2 | [STRIPE020] |
| VAX DISTRIBUTED FILE SERVICE | 1.2 | VEQAA | | 2 | [DFS012] |
| VAX DISTRIBUTED NAME SERVICE | 1.1A | VERAA | | 2 | [DNS011] |
| VAX DISTRIBUTED QUEUING SERVICE | 1.2 | VENAA | | 2 | [DQS012] |
| VAX DOCUMENT | 2.1 | VEEAA | Updated | 1 | [DOC021] |
| VAX DSM | 6.0A | 130AA | | 2 | [DSM060] |
| VAX FMS | 2.4 | VD7AA | | 2 | [VAXFMS024] |

(continued on next page)

**Table 1 (Cont.) March 1992 Master Index**

| Product Name | Vers | UPI | Status | CD | Directory |
|---|---|---|---|---|---|
| VAX FMS (Runtime) | 2.4 | VD8AA | | 2 | [FMSFDV024] |
| VAX FMS/JAPANESE | 2.4 | VD7JA | | 5 | [VAXFMSJ024] |
| VAX FMS/JAPANESE (Runtime) | 2.4 | VD8JA | | 5 | [FMSFDVJ024] |
| VAX FORTRAN | 5.7 | 100AA | | 1 | [FORT057] |
| VAX FORTRAN HIGH PERFORMANCE OPTION | 1.3 | YHBAA | | 1 | [FORTHPO013] |
| VAX ISDN | 2.0 | VZ9AA | Updated | 2 | [ISDN020] |
| VAX ISDN ACCESS | 2.0 | VZCAA | Updated | 2 | [ISDN-ACCESS020] |
| VAX KCT32 | 2.1 | 128AA | | 2 | [UK021] |
| VAX KMS11-BD/BE HDLC/BSC FRAMING SOFTWARE | 2.1 | 920AA | | 2 | [YN021] |
| VAX KMS11-BD/BE X.25 LINK LEVEL SOFTWARE | 2.1 | 757AA | | 2 | [YO021] |
| VAX LANGUAGE SENSITIVE EDITOR /SOURCE CODE ANALYZER | 3.1 | 057AA | | 1 | [LSE031] |
| VAX LISP/VMS | 3.1 | 917AA | | 2 | [LISP031] |
| VAX LN03 IMAGE SUPPORT SOFTWARE | 1.0 | VZRAA | | 2 | [LN03IMAGE010] |
| VAX MESSAGE ROUTER (Base System) | 3.2 | 732AA | | 4 | [MR032] |
| VAX MESSAGE ROUTER (Programmer's Kit) | 3.2 | 733AA | | 4 | [MRIF032] |
| VAX MESSAGE ROUTER (VMSmail Gateway) | 3.2 | 730AA | | 4 | [MRGATE032] |
| VAX MESSAGE ROUTER X.400 GATEWAY | 2.2 | VDMAA | | 4 | [MRX022] |
| VAX MESSAGE ROUTER X.400 GATEWAY/JAPANESE | 2.2 | VDMJA | New | 5 | [JMRX022] |
| VAX MESSAGE ROUTER/P GATEWAY | 1.2 | VCGAA | | 4 | [MRP012] |
| VAX MESSAGE ROUTER/S GATEWAY | 1.2 | VDUAA | | 4 | [MRS012] |
| VAX NOTES | 2.0 | 960AA | | 1 | [NOTES020] |
| VAX NOTES | 2.1 | 960AA | | 1 | [NOTES021] |
| VAX NOTES | 2.2 | 960AA | Updated | 1 | [NOTES022] |
| VAX OPS5 | 3.0A | 913AA | | 1 | [OPS030] |
| VAX PACKETNET SYSTEM INTERFACE | 4.3 | 071AA | | 2 | [PSI043] |
| VAX PACKETNET SYSTEM INTERFACE ACCESS | 4.3 | 061AA | | 2 | [PSI_AC043] |
| VAX PASCAL | 4.3 | 126AA | Updated | 1 | [PASCAL043] |
| VAX PERFORMANCE AND COVERAGE ANALYZER | 3.0 | 119AA | | 1 | [PCA030] |
| VAX PL/I | 3.4 | 114AA | | 1 | [PLI034] |

(continued on next page)

**Table 1 (Cont.) March 1992 Master Index**

| Product Name | Vers | UPI | Status | CD | Directory |
|---|---|---|---|---|---|
| VAX PRINTSERVER SUPPORTING HOST SW/JAPANESE FOR VMS /JAPANESE | 3.2 | 798JA | | 5 | [LPSVSJ032] |
| VAX PUBLIC ACCESS COMMUNICATIONS | 1.3 | VFHAA | | 2 | [VAXPAC013] |
| VAX RALLY | 2.3 | A86AA | | 1 | [RALDO023] |
| VAX RALLY (Runtime) | 2.3 | VF4AA | | 1 | [RALRTO023] |
| VAX RDB/VMS (Full Development) | 4.0 | VD2AA | | 1 | [RDBVMSDEV040] |
| VAX RDB/VMS (Interactive) | 4.0 | VCLAA | | 1 | [RDBVMSINT040] |
| VAX RDB/VMS (Mandatory Update) | 4.0A | 358AA | | 1 | [RDBVMS_ MUPA040] |
| VAX RDB/VMS (Runtime) | 4.0 | 358AA | | 1 | [RDBVMSRTO040] |
| VAX RDB/VMS/JAPANESE (Full Development) | 4.0 | VD2JA | | 5 | [JRDBVMSDEV040] |
| VAX RDB/VMS/JAPANESE (Full Development) | 4.0A | VD2JA | | 5 | [JRDBVMS_ MUPA040] |
| VAX REAL-TIME ACCELERATOR SOFTWARE | 2.0A | VJNAA | | 2 | [VRTA020] |
| VAX REMOTE ENVIRONMENTAL MONITORING SOFTWARE | 1.3 | VI5AA | | 2 | [REMS013] |
| VAX RMS JOURNALING | 5.5 | VDVAA | Updated | 1 | [RMSJNL055] |
| VAX SCAN | 1.2 | 495AA | | 1 | [SCAN012] |
| VAX SOFTWARE PERFORMANCE MONITOR | 3.4 | 850AA | New | 6 | [SPM034] |
| VAX SOFTWARE PERFORMANCE MONITOR (Collect) | 3.4 | VUPAA | New | 6 | [SPMC034] |
| VAX STORAGE LIBRARY SYSTEM | 2.1 | 0L7AA | | 2 | [SLS021] |
| VAX STORAGE LIBRARY SYSTEM (Client) | 2.1 | YE8AA | | 2 | [SLSCLIENT021] |
| VAX TDMS | 1.9A | 706AA | | 3 | [TDMSDEV019] |
| VAX TDMS (Runtime) | 1.9A | 711AA | | 3 | [TDMSRTO019] |
| VAX TEAMDATA | 1.4 | 741AA | | 1 | [TDA014] |
| VAX TEAMDATA/DANSK | 1.3 | 741DA | | 4 | [TDADA013] |
| VAX TEAMDATA/DEUTSCH | 1.3 | 741GA | | 4 | [TDADE013] |
| VAX TEAMDATA/ESPANOL | 1.3 | 741SA | | 4 | [TDAES013] |
| VAX TEAMDATA/FRANCAIS | 1.3 | 741PA | | 4 | [TDAFR013] |
| VAX TEAMDATA/NORSK | 1.3 | 741NA | | 4 | [TDANO013] |
| VAX TEAMINFO/SVENSKA | 1.3 | 741MA | | 4 | [TDASE013] |
| VAX WIDE AREA NETWORK DEVICE DRIVERS | 1.2 | VAWAA | Updated | 2 | [SYNC012] |
| VAX XWAY | 1.2 | 729AA | | 2 | [XWAY012] |
| VAX–11 RSX | 2.5 | 382AA | | 2 | [RSX025] |

(continued on next page)

**Table 1 (Cont.) March 1992 Master Index**

| Product Name | Vers | UPI | Status | CD | Directory |
|---|---|---|---|---|---|
| VAXCAMERA FOR VMS (Video Image Developer) | 1.0 | YWUAA | | 3 | [VIDUIS010] |
| VAXCAMERA FOR VMS (Video Image Executive) | 1.0 | YWVAA | | 3 | [VID010] |
| VAXCLUSTER CONSOLE SYSTEM | 1.3 | V01AA | | 2 | [VCS013] |
| VAXCLUSTER SOFTWARE | 5.5 | VBRAA | Updated | 1 | [VAXCLU055] |
| VAXELN ADA | 2.2 | A97AA | | 3 | [VAXELN_ADA022] |
| VAXELN KAV TOOLKIT EXTENSIONS FOR VMS | 1.1 | GESAA | Updated | 3 | [KAV011] |
| VAXELN KMV1A TOOL KIT | 1.1 | 0JPAA | | 3 | [KMV_ ELNTOOL011] |
| VAXELN TOOLKIT | 4.3 | 375AA | Updated | 3 | [ELN043] |
| VAXFT SYSTEM SERVICES | 1.2B | YEAAA | Updated | 3 | [FTSSB012] |
| VAXSET | 10.0 | 965AA | | 1 | [VAXSET100] |
| VAXUISX AND VWS MIGRATION TOOLS | 1.0 | GD8AA | New | 3 | [UISX011] |
| VIDA FOR DB2 | 1.0A | VTWAA | | 1 | [VIDA2010] |
| VIDA/JAPANESE FOR DB2 | 1.0 | VTWJA | | 5 | [VIDA2J010] |
| VMS DECWINDOWS MOTIF | 1.0 | XA1AA | | 2 | [DECW$MOTIF010] |
| VMS DECWINDOWS MOTIF | 1.0A | XA1AA | | 2 | [MOTIF010_A] |
| VMS DECWINDOWS MOTIF /CANADIEN-FRANÇAIS | 1.0 | XDDCA | Updated | 4 | [DECWMFR_ CA010] |
| VMS DECWINDOWS MOTIF/DANSK | 1.0 | XDDDA | Updated | 4 | [DECWMDA_ DK010] |
| VMS DECWINDOWS MOTIF/DEUTSCH | 1.0 | XDDGA | Updated | 4 | [DECWMDE_ DE010] |
| VMS DECWINDOWS MOTIF /DEUTSCH-CH | 1.0 | XA1GB | Updated | 4 | [DECWMDE_ CH010] |
| VMS DECWINDOWS MOTIF/ESPAÑOL | 1.0 | XDDSA | Updated | 4 | [DECWMES_ES010] |
| VMS DECWINDOWS MOTIF /FRANÇAIS | 1.0 | XDDPA | Updated | 4 | [DECWMFR_FR010] |
| VMS DECWINDOWS MOTIF /FRANÇAIS-CH | 1.0 | XA1PC | Updated | 4 | [DECWMFR_ CH010] |
| VMS DECWINDOWS MOTIF/ITALIANO | 1.0 | XDDUA | Updated | 4 | [DECWMIT_IT010] |
| VMS DECWINDOWS MOTIF /ITALIANO-CH | 1.0 | XA1UB | Updated | 4 | [DECWMIT_CH010] |
| VMS DECWINDOWS MOTIF /JAPANESE | 1.0 | XDDJA | | 5 | [DECWMJA_JP010] |
| VMS DECWINDOWS MOTIF /NEDERLANDS | 1.0 | XDDHA | Updated | 4 | [DECWMNL_ NL010] |
| VMS DECWINDOWS MOTIF/NORSK | 1.0 | XDDNA | Updated | 4 | [DECWMNO_ NO010] |

(continued on next page)

**Table 1 (Cont.) March 1992 Master Index**

| Product Name | Vers | UPI | Status | CD | Directory |
|---|---|---|---|---|---|
| VMS DECWINDOWS MOTIF /PORTUGUÊS | 1.0 | XDDVA | Updated | 4 | [DECWMPT_PT010] |
| VMS DECWINDOWS MOTIF/SUOMI | 1.0 | XDDFA | Updated | 4 | [DECWMFI_FI010] |
| VMS DECWINDOWS MOTIF/SVENSKA | 1.0 | XDDMA | New | 4 | [DECWMSV_SE010] |
| VMS DECWINDOWS/CANADIEN-FRANCAIS | 2.1 | YFSPB | | 4 | [DECWFR_CA021] |
| VMS DECWINDOWS/DEUTSCH | 2.1 | YFSGA | | 4 | [DECWDE_DE021] |
| VMS DECWINDOWS/DEUTSCH/CH | 2.1 | YFSGB | | 4 | [DECWDE_CH021] |
| VMS DECWINDOWS/FRANCAIS | 2.1 | YFSPA | | 4 | [DECWFR_FR021] |
| VMS DECWINDOWS/FRANCAIS/CH | 2.1 | YFSPC | | 4 | [DECWFR_CH021] |
| VMS DECWINDOWS/ITALIANO | 2.1 | YFSUA | | 4 | [DECWIT_IT021] |
| VMS DECWINDOWS/ITALIANO/CH | 2.1 | YFSUB | | 4 | [DECWIT_CH021] |
| VMS DECWINDOWS/NEDERLANDS | 2.1 | YFSHA | | 4 | [DECWNL_NL021] |
| VMS DECWINDOWS/NORSK | 2.1 | YFSNA | | 4 | [DECWNO_NO021] |
| VMS DECWINDOWS/SVENSKA | 2.1 | YFSMA | | 4 | [DECWSV_SE021] |
| VMS LICENSE MANAGEMENT FACILITY | 1.1 | XANAA | | 1 | [LMF011] |
| VMS OPERATING SYSTEM | 5.5 | 001AA | Updated | 1 | [VMS055] |
| VMS VOLUME SHADOWING | 5.5 | AB2AA | Updated | 1 | [VOLSHD055] |
| VMS WORKSTATION SOFTWARE | 4.4 | A96AA | Updated | 3 | [VWS044] |
| VMS WORKSTATION SOFTWARE /JAPANESE | 4.3 | A96JA | | 5 | [JVWS043] |
| VMS/HANGUL | 5.5 | 0014A | New | 5 | [HANGUL055] |
| VMS/JAPANESE | 5.5 | 001JA | Updated | 5 | [JVMS055] |
| VMS/SNA | 2.1 | 362AA | | 2 | [SNAVMS021] |
| VMS/ULTRIX CONNECTION | 1.3A | VHRAA | | 1 | [UCX013] |
| WPS–PLUS/BRITISH FOR VMS | 4.0 | AAMEA | | 4 | [WPLBRITISH040] |
| WPS–PLUS/ESPAÑOL FOR VMS | 4.0 | AAMSA | | 4 | [WPLSPANISH040] |
| WPS–PLUS/FRANÇAIS FOR VMS | 4.0 | AAMPA | | 4 | [WPLFRENCH040] |
| WPS–PLUS/ITALIANO FOR VMS | 4.0 | AAMUA | | 4 | [WPLITALIAN040] |
| WPS–PLUS/NEDERLANDS FOR VMS | 4.0 | AAMHA | | 4 | [WPLDUTCH040] |
| WPS–PLUS/NORSK FOR VMS | 4.0 | AAMNA | | 4 | [WPLNORWEGIAN040] |
| WPS–PLUS/SVENSKA FOR VMS | 4.0 | AAMMA | | 4 | [WPLSWEDISH040] |
| WPS–PLUS/VMS | 4.0 | AAMAA | | 1 | [WPLENGLISH040] |
| X25ROUTER 2000 | 1.1 | VIAAA | | 2 | [X25ROU011] |

©Digital Equipment Corp. 1992. All Rights Reserved.